

CONCENTRATED TFR

Page: 1

Compilation date: 11/05/2015

Revision date: 18/06/2017

Revision No: 9

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: CONCENTRATED TFR

Product code: 37/03

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Cleaning product for professional use.

1.3. Details of the supplier of the safety data sheet

Company name: Greyland Ltd Unit 9 Fifth Avenue Tameside Park Industrial Estate Dukinfield Cheshire SK16 4PP Tel: +44 (0) 161 343 3830 Fax: +44 (0) 161 343 0608

Email: sales@greyland.co.uk

1.4. Emergency telephone number

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Skin Corr. 1B: H314

Most important adverse effects: Causes severe skin burns and eye damage.

2.2. Label elements

Label elements:

Hazard statements: H314: Causes severe skin burns and eye damage.

Hazard pictograms: GHS05: Corrosion



Signal words: Danger

Precautionary statements: P260: Do not breathe dust/fumes/gas/mist/vapours/spray.

P280: Wear protective gloves/eye protection.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

CONCENTRATED TFR

Page: 2

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water . P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

TETRASODIUM (1-HYDROXYETHYLIDENE)BISPHOSPHONATE

EINECS	CAS	PBT / WEL	CLP Classification	Percent
223-267-7	3794-83-0	-	Eye Irrit. 2: H319; Acute Tox. 4: H302	1-10%

SODIUM METASILICATE PENTAHYDRATE - REACH registered number(s): 01-2119449811-37

229-912-9	10213-79-3	-	Met. Corr. 1: H290; Skin Corr. 1B:	1-10%
			H314; STOT SE 3: H335	

BETAINES, C12-14-ALKYLDIMETHYL

266-368-1	66455-29-6	-	Skin Corr. 1B: H314; Aquatic Chronic	1-10%	
			3: H412; Eye Dam. 1: H318		

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin.
Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Transfer to hospital if there are burns or symptoms of poisoning.

- **Eye contact:** Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.
 - Ingestion: Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible.
 - Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible.

CONCENTRATED TFR

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

Eye contact: Corneal burns may occur. May cause permanent damage.

Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose.

Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: Corrosive. In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Notify the police and fire brigade immediately. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Clean-up should be dealt with only by qualified personnel familiar with the specific substance. Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

CONCENTRATED TFR

Page: 4

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Do not handle in a confined space. Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

DNEL/PNEC Values

Hazardous ingredients:

SODIUM METASILICATE PENTAHYDRATE

Туре	Exposure	Value	Population	Effect
DNEL	Dermal	1.49	Workers	Systemic
DNEL	Inhalation	6.22	Workers	Systemic
DNEL	Dermal	0.74	Consumers	Systemic
DNEL	Inhalation	1.55	Consumers	Systemic
DNEL	Oral	0.74	Consumers	Systemic
PNEC	Fresh water	7.5	-	-
PNEC	Marine water	1	-	-
PNEC	Microorganisms in sewage	1000	-	-
	treatment			

8.2. Exposure controls

Engineering measures:Ensure there is sufficient ventilation of the area.Respiratory protection:Self-contained breathing apparatus must be available in case of emergency.Hand protection:Impermeable gloves.Eye protection:Tightly fitting safety goggles. Ensure eye bath is to hand.Skin protection:Impermeable protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Purple

CONCENTRATED TFR

Odour:	Characteristic odour	
Oxidising:	Non-oxidising (by EC criteria)	
Solubility in water:	Soluble	
Viscosity:	Non-viscous	
Boiling point/range℃:	100 Flash point [°] C:	70
Relative density:	1.15 pH :	>12
VOC g/l:	0	

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

BETAINES, C12-14-ALKYLDIMETHYL

ORL	RAT	LD50	>2000	mg/kg
-----	-----	------	-------	-------

Relevant hazards for product:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated

Page: 5

CONCENTRATED TFR

			F	Page: 6
Serious eye damage/irritation		OPT	Hazardous: calculated	
Symptoms / routes of exposure	9			
Skin contact:	Blistering r	nay occur. Progressiv	e ulceration will occur if treatment is not immediate.	
Eye contact:	Corneal bu	Corneal burns may occur. May cause permanent damage.		
Ingestion:	Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be			
	bleeding fr	om the mouth or nose		
Inhalation:	Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may			
	cause cou	ghing or wheezing.		
Delayed / immediate effects:	Immediate	effects can be expect	ed after short-term exposure.	
ection 12: Ecological information				

12.1. Toxicity

Hazardous ingredients:

SODIUM METASILICATE PENTAHYDRATE

Daphnia magna	48H EC50	1700	mg/l
Scenedesmus Subspicatus	72H ErC50	207	mg/l
ZEBRAFISH (Brachydanio rerio)	96H LC50	210	mg/l

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

CONCENTRATED TFR

Page: 7

Marine pollutant: No

Section 14: Transport information

14.1. UN number

UN number: UN1760

14.2. UN proper shipping name

Shipping name: CORROSIVE LIQUID, N.O.S.

(DISODIUM METASILICATE)

14.3. Transport hazard class(es)

Transport class: 8

14.4. Packing group

Packing group: III

14.5. Environmental hazards

Environmentally hazardous: No

14.6. Special precautions for user

Special precautions: No special precautions.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

Section 16: Other information

Other information

(EU) 2015/830* indicates text in the SDS which has changed since the last revision.Phrases used in s.2 and s.3H290: May be corrosive to metals.H302: Harmful if swallowed.H314: Causes severe skin burns and eye damage.H318: Causes serious eye damage.H319: Causes serious eye irritation.H319: Causes serious eye irritation.H335: May cause respiratory irritation.H412: Harmful to aquatic life with long lasting effects.Legal disclaimeriThe above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.	Other information:	according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation
Phrases used in s.2 and s.3:H290: May be corrosive to metals.H302: Harmful if swallowed.H302: Harmful if swallowed.H314: Causes severe skin burns and eye damage.H318: Causes serious eye damage.H319: Causes serious eye irritation.H335: May cause respiratory irritation.H412: Harmful to aquatic life with long lasting effects.Legal disclaimer:The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any		(EU) 2015/830
 H302: Harmful if swallowed. H314: Causes severe skin burns and eye damage. H318: Causes serious eye damage. H319: Causes serious eye irritation. H335: May cause respiratory irritation. H412: Harmful to aquatic life with long lasting effects. Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any 		* indicates text in the SDS which has changed since the last revision.
 H314: Causes severe skin burns and eye damage. H318: Causes serious eye damage. H319: Causes serious eye irritation. H335: May cause respiratory irritation. H412: Harmful to aquatic life with long lasting effects. Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any	Phrases used in s.2 and s.3:	H290: May be corrosive to metals.
 H318: Causes serious eye damage. H319: Causes serious eye irritation. H335: May cause respiratory irritation. H412: Harmful to aquatic life with long lasting effects. Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any 		H302: Harmful if swallowed.
 H319: Causes serious eye irritation. H335: May cause respiratory irritation. H412: Harmful to aquatic life with long lasting effects. Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any 		H314: Causes severe skin burns and eye damage.
 H335: May cause respiratory irritation. H412: Harmful to aquatic life with long lasting effects. Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any 		H318: Causes serious eye damage.
H412: Harmful to aquatic life with long lasting effects. Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any		H319: Causes serious eye irritation.
Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any		H335: May cause respiratory irritation.
and shall be used only as a guide. This company shall not be held liable for any		H412: Harmful to aquatic life with long lasting effects.
	Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive
damage resulting from handling or from contact with the above product.		and shall be used only as a guide. This company shall not be held liable for any
		damage resulting from handling or from contact with the above product.